

Please write clearly in	ı block capitals.		
Centre number		Candidate number	
Surname			_
Forename(s)			
Candidate signature			

GCSE COMBINED SCIENCE: TRILOGY



Foundation Tier Physics Paper 1F

Wednesday 23 May 2018 Afternoon Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equations Sheet (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
TOTAL	




0 1	There are many different energy resources.	
0 1.1	Which two energy resources are renewable?	[2 marks]
	Tick two boxes.	[Z IIIdi KS]
	Biofuel	
	Coal	
	Gas	
	Geothermal	
	Nuclear fuel	
01.2	Some non-renewable energy resources are more reliable than others.	
	Which statement correctly describes a reliable resource?	[1 mark]
	Tick one box.	
	It does not burn fuel.	
	It is predictable.	
	It will never run out.	
	It is cheap to use.	



0 1 . 3 Figure 1 shows a wind farm.

Tick one box.

Figure 1



The total power output of the wind farm is 19.6 MW

All of the wind turbines have the same power output.

What is the power output of **one** wind turbine?

[1 mark]

2.7 MW	
2.8 MW	
2.9 MW	
3.2 MW	
3.3 MW	

0 1. 4 Give **two** reasons why people might **not** like having wind turbines near their homes. [2 marks]

2




0 1 . 5

30%

Figure 2 shows the electricity generated by different energy resources in the UK.

The total amount of electricity generated was the same in 2014 and in 2015

Figure 2



19%

There are changes in the amounts of different energy resources used between 2014 and 2015

30%

Explain the environmental impacts of the changes.	[4 marks]		

10



21%

0 2

Figure 3 shows a mobile phone being recharged by a portable power source.

Figure 3



0 2.1	Why does the battery in the phone need recharging? Tick one box.	[1 mark]
	The store of chemical energy in the battery has reduced.	ı
	The store of thermal energy in the battery has reduced.	
	The store of kinetic energy in the battery has reduced.	
	The store of gravitational energy in the battery has reduced.	
	Question 2 continues on the next page	



0 2.2	Calculate the Use the equa power = poter	power of the powe	urrent	ential difference	of 3.90 V
		С	J	w	
			Offit		



0 2 . 3

A student needs a new power source.

Figure 4 shows three different sized power sources.




Table 1 gives data about the different power sources.

Table 1

Power source	Number of charges	Mass in grams
Compact	1	100
Large	5	200
High capacity	10	600


The student chose the large power source.

Suggest why the student chose the large power source.	[4 marks]	



0 3 Figure 5 shows a girl skateboarding on a semi-circular ramp.





The girl has a mass of 50 kg

0 3 . 1 Calculate the gravitational potential energy (g.p.e.) of the girl at the top of the ramp
--

Use the equation:

g.p.e. = mass × gravitational field strength × height

gravitational field strength = 9.8 N/kg

[2 marks]

0 3. 2 The girl has a speed of 7 m/s at the bottom of the ramp.

Calculate the kinetic energy of the girl at the bottom of the ramp.

Use the equation:

kinetic energy = $0.5 \times \text{mass} \times (\text{speed})^2$

[2 marks]

Kinetic energy = _______

	•	_
3 . 3	Not all of the g.p.e. has been transferred to kinetic energy.	
	Which two statements explain why?	_
	Tick two boxes.	3]
	Some energy is wasted.	
	The mass of the girl is too low.	
	The ramp is not high enough.	
	The g.p.e. of the girl is not zero.	
	The speed of the girl is too great.	
3.4	Explain how lubricating the wheels of the skateboard can increase the speed of the girl.	
	Use ideas about energy in your explanation. [3 marks	3]
		_
		_
		_
		_

Turn over for the next question



0 4 Some ceiling lights in the home are connected to the mains by a two-core cable. Figure 6 shows a ceiling light. Figure 6 Ceiling Insulation Insulation Light Copper wire Suggest why some ceiling lights do not have an earth wire. [2 marks] 0 4 . Write down the equation that links charge flow, current and time. [1 mark] 0 4 3 There is a current of 2.95 A in one of the copper wires for 60 seconds. Calculate the charge flow through the wire. Use your equation from question 04.2 [2 marks] Charge flow = ____




Do not write outside the box

0 4 . 4

Figure 7 shows a current potential difference graph for a piece of copper wire.





Draw another line on **Figure 7** for a wire with a different resistance.

[2 marks]

Question 4 continues on the next page



	Some fuses have a thin piece of copper that melts if the current is too large.	
0 4 . 5	Draw the circuit symbol for a fuse. [1 mark]	
0 4.6	Describe how the movement of the copper particles in the wire changes when copper melts. [2 marks]	
0 4.7	Old copper wires are melted when they are recycled. Calculate the energy needed to melt 500 kg of copper at its melting point. Specific latent heat of fusion of copper = 200 kJ/kg	
	Use the Physics Equations Sheet. [3 marks]	



0 5	Radioactive nuclei can emit alpha, beta or gamma radiation.	
0 5.1	Which type of radiation is the most penetrating?	[1 mark]
	Tick one box.	[1 mark]
	Alpha (α)	
	Beta (β)	
	Gamma (γ)	
0 5.2	Which type of radiation is the most ionising? Tick one box.	[1 mark]
	Alpha (α)	
	Beta (β)	
	Gamma (γ)	
0 5.3	Which type of radiation has the longest range in air? Tick one box.	[1 mark]
	Alpha (α)	
	Beta (β)	
	Gamma (γ)	
	Question 5 continues on the next page	

Turn over ▶

Do not write outside the box



When radioactive isotopes in the Earth's crust decay they release energy.

The decay causes the heating of rocks in the crust.

0 5 . **4 Figure 8** shows the decay of uranium–238 (U–238) into thorium–234 (Th–234).

Figure 8

$$^{238}_{92}U \longrightarrow ^{234}_{90}Th + ^{4}_{2}He$$

Complete **Table 2** to show the number of neutrons and protons in the nuclei.

[2 marks]


Table 2

Isotope	Number of neutrons	Number of protons	
uranium-238	146		
thorium-234		90	

0 5 . 5	Geothermal power stations pump water through heated rocks.
	The temperature of the water increases from 20 °C to its boiling point of 100 °C
	Calculate the change in thermal energy when the mass of water heated is 150 kg
	Specific heat capacity = 4 200 J/kg °C
	Use the Physics Equations Sheet. [3 marks]
	Change in thermal energy = J



0 6 Figure 9 shows two models of the atom. Figure 9 Plum pudding model Nuclear model 0 6 . Write the labels on Figure 9 Choose the answers from the box. [4 marks] atom electron nucleus orbit neutron proton Explain why the total positive charge in every atom of an element is always the same. [2 marks] Question 6 continues on the next page






	Speed =m/s
	Speed of light = 300 000 000 m/s [2 marks]
	Determine the speed of the alpha particles.
	Alpha particles were fired at a thin film of gold at a speed of 7% of the speed of light.
0 6.3	The results from the alpha particle scattering experiment led to the nuclear model.

0 6. 4 Figure 10 shows two atoms represented as solid spheres.

Figure 10



A hydrogen atom has a radius of $2.5 \times 10^{-11} \text{ m}$

Determine the radius of a magnesium atom.

Use measurements from Figure 10

[2 marks]

Radius = ______m

10



Do not write outside the box

0 7 A student wanted to determine the density of the irregular shaped object shown in Figure 11

Figure 11



0 7.1	Plan an experiment that would allow the student to determine the density of the object.	
		[6 marks]
		·
	Question 7 continues on the next page	



0 7 . 2 Another student did a similar experiment.

He determined the density of five common plastic materials.


Table 3 shows the results.

Table 3

Plastic material	Density in kg/m³	
Acrylic	1200	
Nylon	1000	
Polyester	1380	
Polystyrene	1040	
PVC	1100	

Figure 12 shows the results plotted in a bar chart.

Figure 12



Density in kg/m³

Complete Figure 12

You should:

- Write the correct scale on the y-axis.
- Draw the bars for polyester, polystyrene and PVC.

[4 marks]



Do not write outside the box

Λ	7	2	The student is given a	niece of a different	nlactic material
U	<i>1</i> .	. 3	The student is given a	piece of a different	piastic material

The student determined the density of the material three times.

Table 4 shows the results.

Table 4

	Density in kg/m³
1	960
2	1120
3	1040

Determine the uncertainty in the student's results.

[2 marks]

Uncertainty = _____kg/m³

12

END OF QUESTIONS



There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series. Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and

Do not write outside the box

AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

